RECEIVED
CENTRAL FAX CENTER

OCT 1 0 2006

AMENDMENTS TO THE CLAIMS

This listing of the claims will replace all prior versions and listings of claims in the application:

Listing of Claims:


- 1. (Withdrawn) A process of preparing a polymer composition that includes a branched crystalline diene-modified polypronylene random terpolymer, comprising:
 - contacting a metallocene catalyst compound with a polymerization medium that includes at least a propylene monomer, a first diene monomer, and a second diene monomer, in which the first diene monomer and the second diene monomer are different non-conjugated dienes, each having 5 or more carbon atoms; and
 - conducting polymerization of the monomers in the presence of the metallocene catalyst compound for a time sufficient to provide a branched crystalline diene-modified polypropylene random terpolymer that includes monomeric units derived from each of the monomers, and having from 0.0 wt% to 2.0 wt% ethylene and a heat of fusion of 30 J/g or more.
- 2. (Withdrawn) A process of preparing a polymer composition that includes a branched crystalline diene-modified polypropylene random terpolymer, comprising:
 - contacting a metallocene catalyst compound with a polymerization medium that includes at least a propylene monomer, and a and a compound with a polymerization medium that includes at least a propylene monomer, and a compound with a polymerization medium that includes at least a propylene monomer, and a compound with a polymerization medium that includes at least a propylene monomer, and a compound with a polymerization medium that includes at least a propylene monomer, and a compound with a polymerization medium that includes at least a propylene monomer, and a compound with a polymerization medium that includes at least a propylene monomer, and a compound with a polymerization medium that includes at least a propylene monomer, and a compound with a polymerization medium that includes at least a propylene monomer, and a compound with a polymerization medium that includes at least a propylene monomer, and a compound with a polymerization medium that includes a compound with a polymerization medium that includes a compound with a compound w
 - conducting polymerization of the monomers in the presence of the metallocene catalyst compound for a time sufficient to provide a branched crystalline diene-modified polypropylene random terpolymer that includes monomeric units derived from each of the monomers, and having from 0 0 wt% to 2.0 wt% ethylene and a heat of fusion of 30 J/g or more.
- 3. (Withdrawn) The process of claim 1, in which the first diene monomer is an α, internal diene.
- 4. (Withdrawn) The process of claim 1, in which the second diene monomer is an α, ω diene.
- 5. (Withdrawn) The process of claim 1, in which the first diene monomer is an α, internal non-conjugated diene monomer; and the second diene monomer is an α, ω non-conjugated diene monomer.

of 19

LABPOVLA WyProseous lon/EMCC Prosocution/2002/2002B171/US/2002B171-2-US

- 6. (Withdrawn) The process of claim 1, in which either the first diene monomer or the second diene monomer has an internal double bond comprising a di-substituted vinyl group or a tri-substituted vinyl group.
- 7. (Withdrawn) The process of claim 1, in which either the first diene monomer or the second diene monomer has an internal double bond comprising a di-substituted vinyl group or a tri-substituted vinyl group having one or more methyl group substituents.
- 8. (Withdrawn) The process of claim 1, on which the first diene monomer is an a, internal non-conjugated diene monomer having an internal double bond comprising a trisubstituted vinyl group having two methyl group substituents.
- 9. (Withdrawn) The process of claim 1, in which the second diene monomer is an α, ω diene comprising unsubstituted 4-pentadiene; 1,5-hexadiene; 1,6-heptadiene; 1,7-octadiene; 1,8-nonadiene; or 1,9-decadiene.
- 10. (Withdrawn) The process of claim 1, in which either the first diene monomer or the second diene monomer comprising substituted 1,4-pentadiene; 1,5-hexadiene; 1,6-heptadiene; 1,7-octadiene; 1,8-nonadiene; or 1,9-decadiene.
- 11. (Withdrawn) The process of claim 1, in which the second diene monomer comprises 2-methyl-1,5-hexadiene.
- 12. (Withdrawn) The process of claim 1, in which the first diene monomer comprises 2-methyl-1,5-hexadiene or 7-methyl-1,5-octadiene.
- 13. (Withdrawn) The process of claim 1, in which the amount of the first diene monomer is greater than the amount of the second diene monomer.
- 14. (Withdrawn) The process of claims, in which the first diene monomer is an α, internal non-conjugated diene monomer; the second diene monomer is an α, ω non-conjugated diene monomer; and the amount of the first diene monomer is greater than the amount of the second diene monomer.
- 15. (Withdrawn) The process of claim 1, in which the polymerization medium includes 50 mol% or more propylene monomers, 10 mol% or less α, internal non-conjugated diene monomers, and 1 mol% or less α, o non-conjugated diene monomers.
- 16. (Withdrawn) The process of claim 1, in which the metallocene catalyst compound is or includes a substituted or unsubstituted silyl-bridged or ethylene-bridged bis-indenyl metallocene.

- 17. (Withdrawn) The process of claim, in which the metallocene compound comprises a bridged metallocene compound having at least two indenyl rings or derivatives of indenyl rings, each ring being substituted at the 2 position.
- 18. (Withdrawn) The process of claim 1, in which the metallocene compound comprises a bridged metallocene compound having at least two indenyl rings or derivatives of indenyl rings, each ring being substituted at the 2 and 4 positions.
- 19. (Withdrawn) The process of claim 1, in which the metallocene compound comprises supported dimethylsilylbis(2-methyl-1-phenyl-1-indenyl)zirconium dimethyl.
- 20. (Withdrawn) The process of claim 1, in which the metallocene includes a dimethylanilinium tetrakis (perfluorophyl) boron activator.
- 21. (Withdrawn currently amended) The process of claim 1, in which the supported metallocene includes a methylalum noxane metallyaluminoxane activator.
- 22. (Withdrawn currently amended) The process of claim 1, in which the metallocene compound is represented by the formula:



M1 is selected from the group consisting of titanium, zirconium, hafnium, vanadium, niobium, tantalum, chromium, molybdenum and tungsten;

R1 and R2 are identical or different, and are one of a hydrogen atom, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group a C_6 - C_{10} aryl group, a C_6 - C_{10} aryloxy group, a C_2 - C_{10} alkenyl group, a C_2 - C_{40} alkenyl group, a C_7 - C_{40} arylalkyl group, a C_7 - C_{40} alkylaryl group, a C_8 - C_{40} arylalkenyl group, an C_8 - C_{40} arylalkenyl group, and C_8 - C_{40} alkylaryl group, a C_8 - C_{40} arylalkenyl group, a C_7 - C_{40} alkylaryl group, a C_7 - C_{40} arylalkenyl group, a C_7 - C_{40} alkylaryl group, a C_7 - C_{40} arylalkenyl group, a C_7 - C_{40} arylalk

Each R^3 is identical or different from the other R^3 and is each a hydrogen atom, a halogen atom, a C_1 - C_{10} alkyl group which may be halogenated, a C_6 - C_{10} alkyl group, a C_7 - C_{40} alkylaryl group, a C_7 - C_{40} alkylaryl

group, a C_8 - C_{40} arylalkenyl group, a NR'_2 , -SR', $-OSiR'_3$ or $-PR'_2$ radical, wherein R' is one of a halogen atom, a C_1 - C_1 0 alkyl group, of a C_6 - C_{10} aryl group;

R⁴ to R⁷ are identical or different and are hydrogen, or are as defined for R³ or two or more adjacent radicals R⁵ to R⁷ together with the atoms connecting them form one or more rings;

 $-B(R^{14})$ -, $-Al(R^{14})$ -, -Ge-, -Sn-, -S-, -SO-, -SO-, -SO-, $-N(R^{14})$ -, -CO-, $-P(R^{14})$ -, or $-P(O)(R^{14})$ -;

wherein: R¹⁴, R¹⁵ and R¹⁶ are identical or different and are a hydrogen atom, a halogen atom, a C₁-C₂₀ branched or linear alkyl group, a C₁-C₂₀ fluoroalkyl or silaalkyl group, a C₆-C₃₀ aryl group, a C₆-C₃₀ fluoroaryl group, a C₁-C₂₀ alkoxy group, a C₂-C₂₀ alkenyl group, a C₇-C₄₀ arylalkyl group, a C₈-C₄₀ arylalkenyl group, a C₇-C₄₀ alkylaryl group, or R¹⁴ and R¹⁵, together with the atoms binding them, form a cyclic ring;

or, R¹³ is represented by the formula:


wherein: R¹⁷ to R²⁴ are as defined for R¹ and R², or two or more adjacent radicals R¹⁷ to R²⁴, including R²⁰ and R²¹, together with the atoms connecting them form one or more rings;

M² is one or more carbons, silicon, germanium or tin; and

R⁸, R⁹, R¹⁰, R¹¹ and R¹² are identical or different and have the meanings stated for R⁴ to R⁷.

23. (Withdrawn - currently amended) The process of claim 1, in which the metallocene compound is represented by the formula:

of 19



wherein: M is a metal of Group 4, 5, or 6 of the Periodic Table, for example titanium, zirconium, hafnium, vanadium, niobium, tantalum, chromium, molybdenum and tungsten, preferably, zirconium, hafnium and titanium, most preferably zirconium and hafnium;

 R^1 and R^2 are identical or different, and are one of a hydrogen atom, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a C_6 - C_{10} arylagroup, a C_6 - C_{10} arylagroup, a C_7 - C_{40} arylalkyl group, a C_7 - C_{40} arylalkyl group, a C_7 - C_{40} arylalkyl group, a C_8 - C_{40} arylalkenyl group, or a halogen atom, or a conjugated diene which is optionally substituted with one or more hydrocarbyl, trichydrocarbyl)silyl groups or hydrocarbyl, tri(hydrocarbyl)silylhydrocarbyl groups, said diene having up to 30 atoms not counting hydrogen;

R³ and R⁴ are defined the same as are R¹ and R²;

R⁵ and R⁶ are identical or different, and are one of a hydrogen atom, a halogen atom, a C₁-C₁₀ alkyl group, which may be halogenated, a C₆-C₁₀ aryl group, which may be halogenated, a C₂-C₁₀ alkeny group, a C₇-C₄₀ arylalkyl group, a C₇-C₄₀ alkylaryl group, a C₈-C₄₀ arylalkenyl group, a [[-NR₂¹⁵]] -NR'₂, [[-SR¹⁵]] -SR', [[-OR¹⁵]] -OR',

ation/2002/2002B171/US/2002B171-2-US

[[-OSiR₃15]] -OSiR'₃ or [[-PR₂15]] -PR'₂ radical, wherein: [[R¹⁵]] R' is one of a halogen atom, a C_1 - C_{10} alkyl group or a C_6 - C_{10} aryl group;

 $-B(R^{14})$ -, $-Al(R^{14})$ -, -Ge-, -Sn-, -O-, -S-, -SO-, -SO2-, $-N(R^{14})$ -, -CO-, $-P(R^{14})$ -, or $-P(O)(R^{14})$ -;

wherein: R^{14} , R^{15} and R^{16} are identical or different and are a hydrogen atom, a halogen atom, a C_1 - C_{20} branched or linear a kyl group, a C_1 - C_{20} fluoroalkyl or silaalkyl group, a C_6 - C_{30} aryl group, a C_6 - C_{30} fluoroaryl group, a C_1 - C_{20} alkoxy group, a C_2 - C_{20} alkenyl group, a C_7 - C_{40} arylalkyl group, a C_8 - C_{40} arylalkenyl group, a C_7 - C_{40} alkylaryl group, or R^{14} and R^{15} , together with the atoms binding them, form a cyclic ring;

M² is carbon, silicon, germanium or tin;

R⁸ and R⁹ are R⁸ and R⁹, are identical or different, and have the meanings stated for R⁵ and R⁶;

R¹⁰, R¹¹, R¹² and R¹³ are identical or different and have the meanings stated for R³ and R⁶; wherein at least one of R¹³ and R¹⁰ are identical or different, and are one of a hydrogen atom, a halogen atom, a C₁-C₁₀ alkyl group, which may be halogenated, a C₆-C₁₀ aryl group, which may be halogenated, a C₇-C₁₀ alkenyl group, a C₇-C₄₀ arylalkyl group, a C₇-C₄₀ alkylaryl group, a C₈-C₄₀ arylalkenyl group, a [[-NR₂¹⁵]] -NR''₂, [[-SR¹⁵]] -SR'', [[-OR¹⁵]] -OR'', [-OSiR₃¹⁵]] -OSiR'₃ or [[-PR₂¹⁵]] -PR''₂ radical, wherein: [[R¹⁵]] R'' is one of a halogen atom, a C₁-C₁₀ alkyl group, or a C₆-C₁₀ aryl group; and

of 19

<u>2</u>.

m and n are identical or different and are zero[[,]] or 1 er 2, m plus n is zero, 1 or

- 24. (Withdrawn) The process of claim 1, in which the polymerization medium is substantially gel-free following formation of the polypropylene terpolymer.
- 25. (Withdrawn) The process of claim , further comprising crosslinking the polypropylene terpolymer.
- 26. (Withdrawn) The process of claim 1, in which polymerization medium has less than 90 volume percent diluent.
- 27. (Withdrawn) The process of claim, in which polymerization medium has less then 50 volume percent diluent.
- 28. (Withdrawn) The process of claim 1, in which polymerization medium has less then 30 volume percent diluent.
- 29. (Withdrawn) The process of claim 1, in which the final crystalline polypropylene terpolymer is isotactic or syndiotactic.
- 30. (Withdrawn) The process of claim 1, in which the metallocene catalyst compound is combined with the monomers in the absence of hydrogen or in the presence of hydrogen in an amount of up to 1.0 mole% hydrogen in the reactor.
- 31. (Withdrawn) The process of claim 1, in which the heat of fusion of the crystalline polypropylene is 50 J/g or more.
- 32. (Withdrawn currently amended) the process of claim 1, in which the heat of fusion of the branched crystalline polypropylene is 70 J/g or more. Add 75 j/g mere
- 33. (Withdrawn) The process of claim 1, in which the heat of fusion of the branched crystalline polypropylene is 100 J/g or more.
- 34. (Withdrawn) The process of claim 1, in which the branched crystalline polypropylene has a Branching Index of 0.98 or less.
- 35. (Withdrawn) The process of claim 1, in which the branched crystalline polypropylene has a Branching Index of 0.95 or less.

2 of 19

1/EPCV_AW/Prosperation/EMCC Prosperation/2002/20020171/US/20028171-2-U\$12060CT10-Res


- 36. (Withdrawn) The process of claim 1, in which the branched crystalline polypropylene has a Branching Index of 0.90 or less
- 37. (Withdrawn) The process of claim 1, in which the branched crystalline polypropylene has a Branching Index of 0.80 or less.
- 38. (Currently amended) A polymer composition that includes a branched crystalline dienemodified polypropylene random tempolymer having propylene units; first diene units; second diene units; from 0.0 wt% to 2.0 wt% ethylene units; and a heat of fusion of 30 J/g or more, wherein the first dene units are derived from 2-methyl-1.5-hexadiene monomer or α, internal nonconjugated diene monomers and the second diene units are derived from different α, ω non-conjugated diene monomers, each having 5 or more carbon atoms.
- 39. (Original) The polymer composition of claim 38, in which the random polypropylene terpolymer comprises at least 30% and no more than 95% propylene units; at least 5% and no more than 65% first diene units; at least 0.001% and no more than 2.00% second diene units; and from 0.0 mol% to 3.0 mol% ethylene units.
- 40. (Currently amended) The polymer composition of claim 38, in which the first diene units are derived from α, internal non conjugated diene monomers branched crystalline polypropylene has a Branching Index of 0.95 or less.
- 41. (Currently amended) The polymer composition of claim 38, in which the second diene units are derived from α, α nem conjugated diene monomers branched crystalline polypropylene has a Branching Index of 0.90 or less.
- 42. (Currently amended) The polymer composition of claim 38, in which the first diene monomer is an α, internal non-conjugated diene monomer that is units are present in the polypropylene terpolymer in an anount of from 0.0005 mol% to 10 mol%.
- 43. (Currently amended) The polymer composition of claim 38, in which the first diene monomer is an α, internal non-conjugated diene monomer that is units are present in the polypropylene terpolymer in an anjount of from 0.005 mol% to 1 mol%.
- 44. (Currently amended) The polymer composition of claim 38, in which the first diene monomer is an a, internal-non-conjugated diene monomer selected from the group consisting of 2-methyl 1,5 hexadigne and units are derived from 7-methyl-1, 6-octadiene.
- 45. (Original) The polymer composition of claim 38, in which the branched final crystalline polypropylene has a crystallization temperature (Tc) of 50°C or more.

13 of 19

IABPOLAWAProsecution/SMCC Prosecution/2007/2002B171/US/2002B171-2-US 2006CCTH-Respondent

- 46. (Original) The polymer composition of claim 3B, in which the branched crystalline polypropylene has a crystallization emperature (Tc) of 75°C or more.
- 47. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a crystallization emperature (Tc) of 100°C or more.
- 48. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a crystallization temperature (Tc) of 110°C or more.
- 49. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a crystallization temperature (Tc) of from 50°C to 115°C.
- 50. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a melting point (Im) of 75°C or more.
- 51. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a melting point film) of 100°C or more.
- 52. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a melting point (Im) of 125°C or more.
- 53. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a melting point (Tm) of 150°C or more.
- 54. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a melting point (1m) of 160 °C or more.
- 55. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a melting point (1m) of from 75°C to 160°C.
- 56. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a melt flow rate of 0.01 or more.
- 57. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a melt flow rate of 0.1 or more.
- 58. (Original) The polymer composition of claim 38, in which the branched crystalline polypropylene has a melt flow rate of 0.5 or more.

INSPINE AWAPTOMOUS INVESTIGATION AND AUTOMOUS INVESTIGATION AUTOMOUS INVESTIGATI



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.